




<b>⚠ WARNING</b>
DO NOT EXCEED WORKING LOAD LIMIT.
USE ONLY G80 & G100 COMPATIBLE COMPONENTS FOR OVERHEAD LIFTING.


## Stainless Steel 7 x 19 Wire Rope

Dia (mm)	Construction	Grade	Finish	Lay	MBF (kN)	Approx Mass (kg/100m)	UOM	Metre per Reel
1.6	7x19	304	Stainless Steel	RHOL	1.49	1.2	Metre	305
2	7x19	304	Stainless Steel	RHOL	2.89	1.61	Metre	305
2.5	7x19	304	Stainless Steel	RHOL	4.4	2.44	Metre	305
3	7x19	304	Stainless Steel	RHOL	6.12	3.52	Metre	305
4	7x19	304	Stainless Steel	RHOL	9.27	6.71	Metre	305
5	7x19	304	Stainless Steel	RHOL	17.84	9.81	Metre	305
5.5	7x19	304	Stainless Steel	RHOL	21.5	12.25	Metre	305
6	7x19	304	Stainless Steel	RHOL	25.51	14.21	Metre	305
8	7x19	304	Stainless Steel	RHOL	37.07	26.9	Metre	305
10	7x19	304	Stainless Steel	RHOL	50.46	39.24	Metre	305
12	7x19	304	Stainless Steel	RHOL	90.5	56.44	Metre	305
16	7x19	304	Stainless Steel	RHOL	146	100.4	Metre	305
20	7x19	304	Stainless Steel	RHOL	220	157	Metre	305




## Stainless Steel 7 x 7 Wire Rope

Dia (mm)	Construction	Grade	Finish	Lay	MBF (kN)	Approx Mass (kg/100m)	UOM	Metre per Reel
1.2	7x7	304	Stainless Steel	RHOL	0.9	0.6	Metre	305
1.5	7x7	304	Stainless Steel	RHOL	1.87	0.99	Metre	305
1.6	7x7	304	Stainless Steel	RHOL	1.61	1.07	Metre	305
2	7x7	304	Stainless Steel	RHOL	2.49	1.68	Metre	305
2.5	7x7	304	Stainless Steel	RHOL	5.56	2.53	Metre	305
3	7x7	304	Stainless Steel	RHOL	6.87	3.65	Metre	305
4	7x7	304	Stainless Steel	RHOL	10.01	6.73	Metre	305
5	7x7	304	Stainless Steel	RHOL	12.3	10.12	Metre	305
6	7x7	304	Stainless Steel	RHOL	23.17	14.75	Metre	305
8	7x7	304	Stainless Steel	RHOL	41.2	26.22	Metre	305



## Stainless Steel 1 x 19 Wire Rope

Dia (mm)	Construction	Grade	Finish	Lay	MBF (kN)	Approx Mass (kg/100m)	UOM	Metre per Reel
1.5	1x19	304	Stainless Steel	RHOL	1.78	1.14	Metre	305
2	1x19	304	Stainless Steel	RHOL	3.56	2	Metre	305
2.5	1x19	304	Stainless Steel	RHOL	5.5	3.09	Metre	305
3	1x19	304	Stainless Steel	RHOL	7.4	4.59	Metre	305
4	1x19	304	Stainless Steel	RHOL	13.1	8.17	Metre	305
5	1x19	304	Stainless Steel	RHOL	20.58	12.77	Metre	305
6	1x19	304	Stainless Steel	RHOL	28.61	18.34	Metre	305
7	1x19	304	Stainless Steel	RHOL	38.9	25	Metre	305
8	1x19	304	Stainless Steel	RHOL	55.57	32.66	Metre	305
10	1x19	304	Stainless Steel	RHOL	75.13	51.03	Metre	305




**⚠ WARNING**

DO NOT EXCEED WORKING LOAD LIMIT.  
USE ONLY G80 & G100 COMPATIBLE COMPONENTS FOR OVERHEAD LIFTING.



## Stainless Steel 304 Dee Shackles


Size (mm)	Grade	Shape	Closing Method	A (mm)	B (mm)	Weight (kg)	UOM	Pack Qty
4	304	Dee	Screw	15	8.3	0.007	Each	1000
5	304	Dee	Screw	17	11.3	0.013	Each	500
6	304	Dee	Screw	22	12.3	0.021	Each	400
8	304	Dee	Screw	28.6	17	0.052	Each	120
10	304	Dee	Screw	35	20	0.11	Each	70
12	304	Dee	Screw	45.5	25	0.19	Each	40
16	304	Dee	Screw	56	32	0.37	Each	15
19	304	Dee	Screw	67	38.5	0.72	Each	10
22	304	Dee	Screw	77	43	1.1	Each	20
25	304	Dee	Screw	85.5	46	1.6	Each	15



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 Bow Shackles


Size (mm)	Grade	Shape	Closing Method	A (mm)	B (mm)	C (mm)	Weight (kg)	UOM	Pack Qty
4	304	Bow	Screw	20	8	13	0.01	Each	1000
5	304	Bow	Screw	23	10.8	17	0.02	Each	500
6	304	Bow	Screw	31	13	21	0.03	Each	400
8	304	Bow	Screw	36.5	17.5	28	0.06	Each	120
10	304	Bow	Screw	44	21.5	35.5	0.11	Each	70
12	304	Bow	Screw	52.5	27	41	0.22	Each	40
16	304	Bow	Screw	73.5	32	54	0.49	Each	15
19	304	Bow	Screw	85	35.6	64.4	0.78	Each	10
22	304	Bow	Screw	94	41	74	1.32	Each	20



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 Eye Bolt


Size (mm)	Grade	A (mm)	B (mm)	C (mm)	Weight (kg)	UOM	Pack Qty
6	304	37.4	16.8	M6	0.01	Each	300
8	304	47	20.6	M8	0.02	Each	200
10	304	60.7	25.6	M10	0.05	Each	100
12	304	72.3	29.7	M12	0.1	Each	50
16	304	86	35	M16	0.15	Each	20
20	304	103	40.5	M20	0.38	Each	10
24	304	129	49.6	M24	0.85	Each	5



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 Eye Nut

Size (mm)	Grade	A (mm)	B (mm)	C (mm)	Weight (kg)	UOM	Pack Qty
6	304	4.7	31.3	16.3	0.015	Each	200
8	304	5	38.7	21	0.024	Each	200
10	304	7	48.9	25.8	0.05	Each	100
12	304	9.6	59.7	30.3	0.08	Each	50
16	304	12	70.3	35.3	0.18	Each	50
20	304	15	84	40.2	0.34	Each	25
24	304	19	102.6	50.5	0.56	Each	10




NOT TO BE USED FOR LIFTING

**⚠ WARNING**  
DO NOT EXCEED WORKING LOAD LIMIT.  
USE ONLY G80 & G100 COMPATIBLE COMPONENTS FOR OVERHEAD LIFTING.



## Stainless Steel 304 Round Ring


Size (mm)	Grade	A (mm)	Weight (kg)	UOM	Pack Qty
4	304	25	0.008	Each	300
4	304	40	0.01	Each	250
5	304	25	0.025	Each	200
5	304	35	0.027	Each	100
6	304	40	0.03	Each	100
6	304	50	0.038	Each	100
8	304	55	0.06	Each	50
8	304	75	0.09	Each	50
10	304	75	0.16	Each	50



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 D Ring


Size (mm)	Grade	A (mm)	B (mm)	Weight (kg)	UOM	Pack Qty
4	304	25	30	0.008	Each	600
5	304	40	40	0.025	Each	300
6	304	50	35	0.03	Each	100
8	304	50	70	0.069	Each	100
8	304	75	80	0.075	Each	100



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 Triangle Ring


Size (mm)	Grade	A°	B (mm)	Weight (kg)	UOM	Pack Qty
6	304	60	50.8	0.03	Each	200
8	304	60	50	0.06	Each	150



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 Wire Rope Clamp

Rope Size (mm)	Grade	A (mm)	B (mm)	C (mm)	D (mm)	Weight (kg)	UOM	Pack Qty
2	304	18	13	15.3	M3	0.01	Each	800
3	304	24.5	14.5	15.8	M4	0.015	Each	800
4	304	24	18	18.5	M4	0.02	Each	500
5	304	29	19.6	23	M5	0.022	Each	300
6	304	31	20.5	26.3	M6	0.03	Each	200
8	304	41	27	33.5	M8	0.08	Each	100
10	304	52	33.8	42.7	M10	0.15	Each	50
12	304	61	37.8	50	M12	0.23	Each	30
14	304	67.5	42	50.6	M12	0.28	Each	25
16	304	76	47	60	M14	0.41	Each	20
20	304	79	51	61.5	M14	0.47	Each	10
25	304	110	60	75.5	M16	0.93	Each	5



NOT TO BE USED FOR LIFTING


**WARNING**

DO NOT EXCEED WORKING LOAD LIMIT.  
USE ONLY G80 & G100 COMPATIBLE COMPONENTS FOR OVERHEAD LIFTING.




## Stainless Steel 304 Thimble

Rope Size (mm)	Grade	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Weight (kg)	UOM	Pack Qty
2	304	20.6	18	7.5	4.5	3	0.005	Each	1000
3	304	24.3	21	10	6	4.3	0.007	Each	800
4	304	27.8	24.8	11	6.6	5.2	0.008	Each	500
5	304	30.5	26	13	8.5	6.8	0.009	Each	400
6	304	37	32.6	15.5	10	8.8	0.01	Each	250
8	304	51.5	45.5	23	12.5	10	0.02	Each	130
10	304	56.4	50	27	14.6	12	0.03	Each	50
12	304	68	61	32.5	18	14.5	0.05	Each	30
16	304	82.7	75	37.5	22	19	0.09	Each	25



## Stainless Steel 304 Snap Hook


Rope Size (mm)	Grade	A (mm)	B (mm)	C (mm)	D (mm)	Weight (kg)	UOM	Pack Qty
4	304	42	20	6	5	0.01	Each	500
4.5	304	42	20.5	6	6.5	0.01	Each	600
5	304	50	26.5	7	7.8	0.02	Each	400
5	304	50	26.5	7	8	0.018	Each	500
6	304	60	30	7.5	7.8	0.03	Each	300
6	304	60	30	7.5	8.5	0.028	Each	400
8	304	80	40.5	10	10.8	0.06	Each	100
8	304	80	40.5	10	12	0.055	Each	100
10	304	100	50	12	14	0.15	Each	50
10	304	100	50	12	15	0.145	Each	50
11	304	120	58	16	19	0.18	Each	40
12	304	140	64	21	20	0.24	Each	25



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 Turnbuckle


Thread Size (mm)	Grade	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Weight (kg)	UOM	Pack Qty
4	304	110	61.5	9	M4	8	0.02	Each	300
5	304	127.5	71	9.5	M5	10	0.05	Each	150
6	304	163	90.5	9	M6	12	0.08	Each	90
8	304	212	122	10.3	M8	14	0.15	Each	50
10	304	259	151.5	12.5	M10	16	0.29	Each	20
12	304	321	201	14	M12	18	0.59	Each	10
16	304	397	244	16	M16	26	0.09	Each	5



NOT TO BE USED FOR LIFTING

## Stainless Steel 304 Bottle Screw

Thread Size (mm)	Grade	A (mm)	B (mm)	C (mm)	D (mm)	Weight (kg)	UOM	Pack Qty
5	304	138	81	10.3	M5	0.04	Each	80
6	304	153	92	10.3	M6	0.07	Each	50
8	304	188	112	11.2	M8	0.15	Each	50
10	304	212	121	15	M10	0.28	Each	50
12	304	266	150	17.5	M12	0.49	Each	30



NOT TO BE USED FOR LIFTING